## **IN THE CLAIMS:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A quinoxaline derivative represented by a general formula (1):
[[.]]

$$Ar^{1}$$
 $R^{2}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{8}$ 
 $R^{12}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 

(In wherein in the formula,  $R^1$  -  $R^{12}$  each independently represents a hydrogen atom, a halogen atom, a lower alkyl group, an alkoxy group, an acyl group, a nitro group, a cyano group, an amino group, a dialkylamino group, a diarylamino group, a vinyl group, an aryl group, or a heterocyclic residue group;  $R^9$  and  $R^{10}$ ,  $R^{10}$  and  $R^{11}$ , and  $R^{11}$  and  $R^{12}$  are each independent or mutually bonded to form an aromatic ring;  $Ar^1$  -  $Ar^4$  each independently represents an aryl group or a heterocyclic residue group;  $Ar^1$ ,  $Ar^2$ ,  $Ar^3$  and  $Ar^4$  are each independent or  $Ar^1$  and  $Ar^2$ , and  $Ar^3$  and  $Ar^4$  are respectively mutually bonded directly, or  $Ar^1$  and  $Ar^2$ , and  $Ar^3$  and  $Ar^4$  are bonded via oxygen (O), sulfur (S) or a carbonyl group, and at least one of  $R^1$  -  $R^4$  are different from the others. [[]]

2. (Currently Amended) A quinoxaline derivative represented by a general-formula (2):

[[.]]

$$R^{2}$$
 $R^{1}$ 
 $R^{10}$ 
 $R^{$ 

$$R^{34}$$
  $R^{33}$   $R^{35}$   $Z$   $R^{32}$   $R^{36}$   $R^{37}$   $R^{38}$   $R^{38}$   $R^{31}$   $R^{31}$   $R^{31}$   $R^{31}$   $R^{32}$ 

(In wherein in the formula, X and Y each independently represents any of general formulas (3) - (5); R<sup>1</sup> - R<sup>38</sup> independently represents a hydrogen atom, a halogen atom, a lower alkyl group, an alkoxy group, an acyl group, a nitro group, a cyano group, an amino group, a dialkylamino group, a diarylamino group, a vinyl group, an aryl group, or a heterocyclic residue group; R<sup>9</sup> and R<sup>10</sup>, R<sup>10</sup> and R<sup>11</sup>, and R<sup>11</sup> and R<sup>12</sup> are each independent or are mutually bonded to form an aromatic ring; Z represents oxygen (O), sulfur (S) or a carbonyl group. [[ ) ]]

3. (Currently Amended) A quinoxaline derivative represented by a general-formula (6):

[[.]]

$$Z \longrightarrow N$$
 (9)

(8); in the formula, R<sup>9</sup> - R<sup>12</sup> independently represents a hydrogen atom, a halogen atom, a lower alkyl group, an alkoxy group, an acyl group, a nitro group, a cyano group, an amino group, a dialkylamino group, a diarylamino group, a vinyl group, an aryl group, or a heterocyclic residue group; R<sup>9</sup> and R<sup>10</sup>, R<sup>10</sup> and R<sup>11</sup>, and R<sup>11</sup> and R<sup>12</sup> are each independent or mutually bonded to form an aromatic ring; Z represents oxygen (O), sulfur (S) or a carbonyl group. [[]]

4. (Currently Amended) A quinoxaline derivative represented by a structural formula (10): [[.]]

5. (Withdrawn) A quinoxaline derivative represented by a structural formula (11).

6. (Withdrawn) A quinoxaline derivative represented by a structural formula (12).

7. (Withdrawn) A quinoxaline derivative represented by a structural formula (13).

$$S \longrightarrow S$$
 $N \longrightarrow N$ 
 $N \longrightarrow N$ 
 $N \longrightarrow N$ 
 $N \longrightarrow N$ 

8. (Withdrawn) A quinoxaline derivative represented by a structural formula (14).

- 9. (Currently Amended) An electric field light emitting device further comprising said quinoxaline derivative according to claims 1, 2, 3 and 4, between a pair of electrodes.
- 10. (Currently Amended) An electric field light emitting device comprising a light emitting layer containing said quinoxaline derivative according to claims 1, 2, 3 and 4 and a phosphorescent material showing a light emission from a triplet excited state, between a pair of electrodes.
- 11. (Previously Presented) An electric field light emitting device according to claim 10, wherein a light emission spectrum of said phosphorescent material has a peak from 560 to 700 nm.
  - 12. (Currently Amended) A host material comprising said quinoxaline derivative

according to claims 1, 2, 3 and 4.

- 13. (Currently Amended) An organic semiconductor device, wherein said quinoxaline derivative according to claims 1, 2, 3 and 4 is included in an active layer.
- 14. (Previously Presented) An electronic device employing said electric field light emitting device according to claim 10.
- 15. (Previously Presented) An electronic device according to claim 14, wherein the electronic device is any one of a personal computer, a portable telephone and a television receiver.
- 16. (Previously Presented) An electronic device further employing said organic semiconductor device according to claim 13.
- 17. (Previously Presented) An electronic device according to claim 16, wherein said electronic device is any one of a personal computer, a portable telephone and a television receiver.